

Part 1 - Emergency Elevator Telephones

For each elevator, provide a handsfree emergency telephone which complies with the latest version of the Elevator Safety Code. Capabilities shall include:

- .1 Voice prompting which will instruct monitoring personnel on how to download the location announcement, how to extend the call when the call time is about to expire and when another call is being attempted from any other elevators within the building.
- .2 Speaker volumes which measure 68 dbA or higher.
- .3 Self-diagnostics which will automatically notify building personnel if any problem is detected with the elevator telephones.
- .4 Status alert which will allow building personnel to call into the elevators and determine the charge state of any backup batteries.
- .5 Built-in consolidation which will allow up to 6 telephones to be connected to a single telephone line for both outgoing calls and incoming calls to the elevators.
- .6 Telephone must not shut off if activation button is pushed more than once.

Part 2 - Work Not Included

- .1 Provision of conduit and cables between telephone room and elevator machine room.
- .2 Provision of telephone line and monitoring service.
- .3 Provision of any on-site rescue station required. Elevator contractor to ensure brand compatibility between handsfree telephone and any on-site rescue station being installed.

Part 3 - Pre-approved Manufacturers

- | | |
|--|---|
| <ol style="list-style-type: none">.1 Webb Electronics Inc.
106-12414 82 Ave., Surrey, B.C. Canada. V3W 3E9

Model: <u>OEM-150 hands free telephone</u> | <p>Phone: (604) 502-9007
Toll free: (877) 731-1010
www.webbelectronicsinc.com</p> |
|--|---|

END OF SECTION